

# Introduction

# VHDL

- What is VHDL?

*VHISC → Very High Speed Integrated Circuit*

*Hardware*

*Description*

*Language*

IEEE Standard 1076-1993


- Designed by IBM, Texas Instruments, and Intermetrics as part of the DoD funded VHSIC program
- Standardized by the IEEE in 1987: IEEE 1076-1987
- Enhanced version of the language defined in 1993: IEEE 1076-1993
- Additional standardized packages provide definitions of data types and expressions of timing data
  - IEEE 1164 (data types)
  - IEEE 1076.6 (numeric)
  - IEEE 1076.4 (timing)

- Procedural programming languages provide the *how* or recipes
  - For computation
  - For data manipulation
  - For execution on a specific hardware model
- Hardware description languages *describe* a system
  - Systems can be described from many different points of view
    - Behavior: what does it do?
    - Structure: what is it composed of?
    - Functional properties: how do I interface to it?
    - Physical properties: how fast is it? How much power does it generate?

- Descriptions can be at different levels of abstraction
  - Switch level: model switching behavior of transistors
  - Register transfer level: model combinational and sequential logic components
  - Instruction set architecture level: functional behavior of a microprocessor
  - Behavioral level: model the computations
- Descriptions can be used for
  - Simulation
    - Verification, performance evaluation
  - Synthesis
    - First step in hardware design

- Design Specification
  - Unambiguous definition of components and interfaces in a large design
- Design Simulation
  - Verify system/subsystem/chip performance prior to design implementation
- 
- Design Synthesis
  - Automated generation of a hardware design


## Digital System Design Flow



- Design flows operate at multiple levels of abstraction
- Need a uniform description to translate between levels
- Increasing costs of design and fabrication necessitate greater reliance on automation via CAD tools
  - \$5M - \$100M to design new chips
  - Increasing time to market pressures

ECE 4170 (7)


## Embedded Systems



- Embedded systems requirements
    - Physical: footprint, power
    - Behavior: performance, predictability
    - Performance characteristics typically determined by a few application kernels
    - **Economic: time to market, NRE cost constraints dominate**
- } **Customization is the key !**
- Customization has been met with custom hardware solutions
    - Chip market as a whole is expected to be \$250B by 2008

ECE 4170 (8)


## Increasing Cost of Customization\*



Estimated Cost - \$85 M - \$90 M


- Cost and Risk rising to unacceptable levels
- Top cost drivers
  - Verification (40%)
  - Architecture Design (23%)
  - Embedded Software Design
    - 1400 man months (SW)
    - 1150 man months (HW)
  - HW/SW integration

Example: Design with 80 M transistors in 100 nm technology




\*Handel H. Jones, "How to Slow the Design Cost Spiral," *Electronics Design Chain*, September 2002, www.designchain.com

## A Synthesis Design Flow




- Automation of design refinement steps
- Feedback for accurate simulation
- Example targets: ASICs, FPGAs

## The Role of Hardware Description Languages




- Design is structured around a hierarchy of representations
- HDLs can describe distinct aspects of a design at multiple levels of abstraction

## The Role of Hardware Description Languages



- Interoperability: models at multiple levels of abstraction
- Technology independence: portable model
- Design re-use and rapid prototyping



From V. K. Madiseti and T. W. Egoft,  
"Virtual Prototyping of Embedded  
Microcontroller Based DSP Systems,"  
IEEE Micro, pp. 9-21, 1995.

- Time to market delays have a substantial impact on product revenue
- First 10%-20% of design cycle can determine 70%-80% of the cost
- Costs are rising rapidly with each new generation of technology
- Need standards and re-use → automation centered around HDL based tools such as VHDL

ECE 4170 (13)

- The Verilog hardware description language
  - Finding increasing use in the commercial world
    - SystemVerilog gaining prominence
  - VHDL dominates the aerospace and defense worlds
- Design flows based on procedural programming languages
  - SystemC
    - C++ with additional hardware-based language elements
  - C-based design flows
    - (C + extensions) as well as ANSI C based
  - Other
    - Java, MATLAB, and specialized languages


ECE 4170 (14)

**V** *Very High Speed Integrated Circuit*

**H** *Hardware*

**D** *Description*

**L** *Language*



- System description and documentation
- System simulation
- System synthesis